


No.

9600287



# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

## Kansas Agricultural Experiment Station

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture


AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS A CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SEED. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'KS 4895'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this second day of May, in the year two thousand two.



Attest:

*Paul M. Jahn*

Commissioner  
Plant Variety Protection Office  
Agricultural Marketing Service

*Arthur C. Jensen*

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE

## APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) (as it is to appear on the Certificate) Kansas Agricultural Experiment Station		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER K1192	3. VARIETY NAME KS 4895
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) Waters Hall Kansas State University Manhattan, KS 66506		5. TELEPHONE (include area code) 913-532-6147	FOR OFFICIAL USE ONLY PVPO NUMBER 9603287 FILING DATE July 8, 1996
		6. FAX (include area code) 913-532-6563	
7. GENUS AND SPECIES NAME Glycine max	8. FAMILY NAME (Botanical) Leguminosae		FILING AND EXAMINATION FEE: \$2450.00 DATE July 8, 1996
9. CROP KIND NAME (Common name) Soybean			CERTIFICATION FEE: \$320.00 DATE 3/8/02
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.) (Common name) University			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Vernon A. Schaffer, Agronomy Dept. Kansas State University, Throckmorton Hall Manhattan, KS 66506-5501			14. TELEPHONE (include area code) 913-532-6115 15. FAX (include area code) 913-532-6094
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse)			
a. <input checked="" type="checkbox"/> Exhibit A. Origin and Breeding History of the Variety b. <input checked="" type="checkbox"/> Exhibit B. Statement of Distinctness c. <input checked="" type="checkbox"/> Exhibit C. Objective Description of the Variety d. <input checked="" type="checkbox"/> Exhibit D. Additional Description of the Variety (Optional) e. <input checked="" type="checkbox"/> Exhibit E. Statement of the Basis of the Applicant's Ownership f. <input checked="" type="checkbox"/> Voucher Sample (2,500 viable untreated seeds or, for tuber propagated varieties verification that tissue culture will be deposited and maintained in an approved public repository) g. <input checked="" type="checkbox"/> Filing and Examination Fee (\$2,450), made payable to "Treasurer of the United States" (Mail to PVPO)			
17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY, AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act) <input checked="" type="checkbox"/> YES If "yes," answer items 18 and 19 below <input type="checkbox"/> NO If "no," go to item 20			
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		19. IF "YES" TO ITEM 18, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? <input checked="" type="checkbox"/> FOUNDATION <input checked="" type="checkbox"/> REGISTERED <input checked="" type="checkbox"/> CERTIFIED	
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES? <input checked="" type="checkbox"/> YES If "yes," give names of countries and dates <input type="checkbox"/> NO			
21. The applicant(s) declare that a viable sample of basic seed of the variety will be furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate. The undersigned applicant(s) is(are) the owner(s) of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Applicant(s) is(are) informed that false representation herein can jeopardize protection and result in penalties.			
SIGNATURE OF APPLICANT (Owner(s)) George E. Ham		SIGNATURE OF APPLICANT (Owner(s))	
NAME (Please print or type) George E. Ham		NAME (Please print or type)	
CAPACITY OR TITLE Associate Director of the Agricultural Experiment Station	DATE	CAPACITY OR TITLE	DATE

KS 4895 Plant Variety Protection Application  
Exhibit A, Origin and Breeding History

KS4895 is a selection from the cross of Sherman x Bay. The original cross was made in 1984. The  $F_1$  and  $F_3$  generations were grown in a winter nursery.  $F_2$  and  $F_4$  generations were grown in the field.  $F_2$  and  $F_3$  generations were advanced by modified single seed descent. Single plant selections were made in 1986 in the  $F_4$  generation. In the  $F_9$  generation, 25 rows from  $F_8$  single plant selections were bulked to form breeders seed.

KS4895 Plant Variety Protection Application  
Exhibit B, Novelty Statement

KS4895 is similar in appearance to Sherman. It is similar to Sherman in having an indeterminate growth habit, grey pubescence and buff hila. KS4895 has purple flowers and tan pods, while Sherman has white flowers and grey pods. Sherman is a mid-group III variety while KS4895 is a late-group IV variety. Sherman is approximately 16 days earlier than KS4895.

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

EXHIBIT C  
(Soybean)

PLANT VARIETY PROTECTION OFFICE  
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY  
SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) Kansas Agricultural Experiment Station	TEMPORARY DESIGNATION K1192	VARIETY NAME KS 4895
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) Waters Hall Kansas State University Manhattan, KS 66506		FOR OFFICIAL USE ONLY PVPO NUMBER 9600287

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g.,  ). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)  
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)  
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow      2 = Green      3 = Brown      4 = Black      5 = Other (Specify) \_\_\_\_\_

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')      2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

★ 5. HILUM COLOR: (Mature Seed)

1 = Buff      2 = Yellow      3 = Brown      4 = Gray      5 = Imperfect Black      6 = Black      7 = Other (Specify) \_\_\_\_\_

★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow      2 = Green

★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low      2 = High

★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP<sup>1a</sup>)      2 = Type B (SP<sup>1b</sup>)

★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')      2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')  
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')  
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ 10. LEAFLET SHAPE:

1 = Lanceolate      2 = Oval      3 = Ovate      4 = Other (Specify) \_\_\_\_\_

## 11. LEAFLET SIZE:

9600287

☒ 21 = Small ('Amsoy 71'; 'A5312')  
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

## 12. LEAF COLOR:

☐1 = Light Green ('Weber'; 'York')  
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

## ★ 13. FLOWER COLOR:

☒ 2

1 = White

2 = Purple

3 = White with purple throat

## ★ 14. POD COLOR:

☒ 1

1 = Tan

2 = Brown

3 = Black

## ★ 15. PLANT PUBESCENCE COLOR:

☒ 1

1 = Gray

2 = Brown (Tawny)

## 16. PLANT TYPES:

☒ 21 = Slender ('Essex'; 'Amsoy 71')  
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

## ★ 17. PLANT HABIT:

☒ 3

1 = Determinate ('Gnome'; 'Braxton')

2 = Semi-Determinate ('Will')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

## ★ 18. MATURITY GROUP:

☐ 0 ☒ 71 = 000  
9 = VI2 = 00  
10 = VII3 = 0  
11 = VIII4 = I  
12 = IX5 = II  
13 = X

6 = III

7 = IV

8 = V

## ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

## BACTERIAL DISEASES:

★

☒ 2Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☒ 2Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

## FUNGAL DISEASES:

★

☐ 0Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojina*)

★

☐ 0

Race 1

☐ 0

Race 2

☐ 0

Race 3

☐ 0

Race 4

☐ 0

Race 5

☐

Other (Specify)

☐ 0Target Spot (*Corynespora cassicola*)☐ 0Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐ 0Powdery Mildew (*Microsphaera diffusa*)

★

☒ 1Brown Stem Rot (*Cephalosporium gregatum*)☒ 2Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

## 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

## FUNGAL DISEASES: (Continued)

- ★ ☒ 1 Pod and Stem Blight (*Diaporthe phaseolorum* var. *sojae*)
- ☐ 0 Purple Seed Stain (*Cercospora kikuchii*)
- ☐ 0 Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☒ 1 Race 1 ☐ 0 Race 2 ☐ 0 Race 3 ☐ 0 Race 4 ☐ 0 Race 5 ☐ 0 Race 6 ☐ 0 Race 7
- ☐ 0 Race 8 ☐ 0 Race 9 ☐ Other (Specify) \_\_\_\_\_

## VIRAL DISEASES:

- ☐ 0 Bud Blight (Tobacco Ringspot Virus)
- ☐ 0 Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 0 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ 0 Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 0 Seed Mottle (Soybean Mosaic Virus)

## NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☒ 1 Race 1 ☒ 1 Race 2 ☒ 1 Race 3 ☒ 1 Race 4 ☐ Other (Specify) \_\_\_\_\_
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☒ 2 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☒ 2 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ 0 Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ OTHER DISEASE NOT ON FORM (Specify): \_\_\_\_\_

## 20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☒ 1 Iron Chlorosis on Calcareous Soil
- ☐ Other (Specify) \_\_\_\_\_

## 21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ Other (Specify) \_\_\_\_\_

## 22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Delsoy 4710	Seed Coat Luster	Sherman
Leaf Shape	Sherman	Seed Size	Bay
Leaf Color	Sherman	Seed Shape	Sherman
Leaf Size	Delsoy 4710	Seedling Pigmentation	Bay

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/POD
				CM Width	CM Length	% Protein	% Oil		
Submitted KS4895	9/30	1.4	37			41.6	20.9	13.0	
Delsoy 4710 Name of Similar Variety	9/28	1.9	36			39.5	20.8	16.5	

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBT1-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

96 MAY 20 AM 10:28

RECEIVED  
USDA-AMS-PVPO



KS4895 Plant Variety Protection Application  
Exhibit D. Additional Description of Variety

KS4895 is a selection from the cross of Sherman X Bay, developed by the Kansas Agricultural Experiment Station (KAES). KS4894 is similar in appearance to Sherman, but later in maturity. KS4895 is indeterminate in growth habit, has purple flowers, grey pubescence and tan pods. Seeds have yellow cotyledons and dull yellow seed coats with buff color hila. Variants are limited to plants with tawny pubescence at a frequency of less than 1 in 1,000. Pod color can vary from a tan to brown. Hilum is buff, but can vary from a light buff to dark buff or almost brown color. 0.5% of seed or less will have high seed protein peroxidase activity. Breeders seed will be maintained by the KAES.

KS4895 Plant Variety Protection Application  
Exhibit E, Statement of the Basis of Applicant Ownership

The variety for which Plant Variety Protection is hereby sought was developed by Dr. W.T. Schapaugh, Jr., an employee of Kansas State University Experiment Station. By agreement between the employees and Kansas State University Experiment Station, all rights to any invention, discovery, or development made by the employee while employed by Kansas State University Experiment Station, were assigned by Kansas State University Experiment Station with no rights of any kind retained by the employees.